

CK-D4HF

RS232 / RJ45 Desktop
HF RFID Reader



Desktop tag card reader for RFID tags and items binding initialization, with readable and writable functions, switch cursor output mode, easy to organize Excel documents

- Support fast reading and writing, Identify 20pcs at a time, batch export label information files
- RFID technology 13.56MHz, support protocol extension
- Near-field antenna, effective reading range of 5cm, write range of 3cm
- Communication interfaces: RS232 / RJ45, USB-C (optional)

● Specification

Model	CK-D4HF
 RF SPECIFICATION	
Identification Method	HF
Protocol Support	ISO 15693, ISO 14443A
Frequency Band	13.56MHz
response speed	20 / pcs
Read Distance	10 cm
Communication	RJ45, RS232
Function	RFID read & write, Multiple label identification (For more RFID tag features, please use Cykeo tag application software)
 BASIC SPECIFICATION	
Material	Aluminum
Power Supply	12V / 3A
Working Humidity	10%RH~90%RH
Operat Temperature	0 °C ~ 60 °C
Size	37 x 38 x 2.6 cm
Weight	4.5kg


- **Related Model**

CK-D1L,CK-D2L, CK-D4L

- **Common Solution**

Smart Library, Archival Room, Tool Room, Supermarket, etc.

- **Dimension**



Unit : mm (inch)
Weight. : about 4.5 kg

- **Accessory**

No.	item	units	quantity
1	RS232 Cable	pcs	1
2	power supply	pcs	1



RFID IoT Application



Need Advice



Subscribe

Follow us: Cykeo



Headquarters

Cykeo Information Technology CO., LTD.

16th floor, Building B2, Yunzhi Science Park, Guangming District,
Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefei Jianshen InformationTechnology Co., LTD.

Cykeo Information Technology(Shandong) Co., LTD.

Cykeo Information Technology(Chengdu) Co., LTD.

Cykeo Core Information Technology (Shanghai) Co., LTD.