

CK-BA7

Portable USB-HID UHF RFID Reader



Portable USB-HID UHF RFID Reader distributor for RFID tags and items binding initialization, with readable and writable functions. Supports Android and Windows systems.

- Support fast reading and writing, bind the tag lookup function
- RFID technology 840~960MHz optional, support protocol extension
- Near-field antenna, effective reading range of 30cm, write range of 10cm
- Communication interfaces: USB Type-C
- Work condition warning beep by phone

● Specification

Model	CK-BA7
 RF SPECIFICATION	
Identification Method	UHF
Frequency Range	840MHz ~ 960MHz
Protocol Support	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Frequency Band (Optional)	ETSI: 865 ~ 868MHz JP: 916.8 ~ 920.4MHz TW: 922.25~927.75MHz ID: 923.125~925.125MHz RUS: 866.6~867.4 MHz TEST: 802.75~998.75MHz JP_LBT: 916.8~920.8MHz
Antenna Gain	0-18 dbm adjustable
Read Distance	30 cm adjustable
Communication	USB Type-C
Function	RFID read & write, Multiple label identification (For more RFID tag features, please use Cykeo tag application software)
 BASIC SPECIFICATION	
Material	Aluminum
Power Supply	USB 5V
Working Humidity	10%RH~90%RH
Operat Temperature	0 °C ~ 60 °C
Size	6.3 x 4.8 x 0.9 cm
Weight	About 70g

- **Related Model**

CK-D1L, CK-D3L, CK-D4L

- **Common Solution**

Smart Library, Archival Room, Tool Room, Supermarket, etc.

- **Dimension**



Unit : mm (inch)
Weight. : about 0.07kg

- **Accessory**

No.	item	units	quantity
1	USB C-C Cable	pcs	1
2	USB C-C Adapter	pcs	1



RFID IoT Application



Need Advice



Subscribe

Follow us: Cykeo



Headquarters

Cykeo Information Technology CO., LTD.

16th floor, Building B2, Yunzhi Science Park, Guangming District,
Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefei Jianshen Information Technology Co., LTD.

Cykeo Information Technology(Shandong) Co., LTD.

Cykeo Information Technology(Chengdu) Co., LTD.

Cykeo Core Information Technology (Shanghai) Co., LTD.