

CK-PC02

Single / Dual door RFID Cabinet Control Board



- Support offline work, TCP/IP communication; allow direct connection with computer via network cable. Support LAN, remote control by PC software.
- Wrong connection of reader or data cable will not destroy the device or unlock the door illegally.
- Effect inhibition of static electricity and surge from input and feedback interference from electronic locks.
- Support QR / Barcode, Finger vein, HF RFID card, LCD display



Specification


Model	CK-PC02		
SPECIFICATION			
Product Name	Cabinet Control Board		
Protocol Support	TCP / IP		
Communication	Type-B RJ45 RS485 RS232		
Function	2ch light output Relay outputs independently Optocoupler input detection One-click recovery		
Line Control	2ch RFID module interface 32ch lock control 34ch light control (2ch independent control)		
BASIC			
Power	12V Reverse connection protection		
Material	PCBA, IC		
Working Humidity	10%RH~90%RH		
Operat Temperature	0 °C ~ 70 °C		



Related ModelCK-PC001

• Common Solution Cabinet, etc.

Dimension



Unit: mm (inch) Weight.: about 150g

Accessory

Serial number	Name	Units	Quantity





RFID IoT Application





Need Advice

Subscribee

Follow us: Cykeo











Headquarters

Cykeo Information Technology Co., LTD.

16th floor, Bullding B2, Yunzhi Science Park, Guangming District,
Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefel Jianshen Information Technology Co., LTD.
Cykeo Information Technology(Shandong) Co., LTD.
Cykeo Information Technology(Chengdu) Co., LTD.
Cykeo Core Information Technology (Shanghai) Co., LTD.