# Cykeo

## CK-PD01 — RFID Shelf / Gate / Reader Control Board

- Support offline work, TCP/IP communication; allow direct connection with computer via network cable. Support LAN, remote control by PC software.
- Wrong connection of reader or data cable will not destroy the device or unlock the door illegally.
- Effect inhibition of static electricity and surge from input and feedback interference from electronic locks.
- Support QR / Barcode, Finger vein, HF RFID card, LCD display

Cykeo

- ## Specification

Model	CK-PD01
| SPECIFICATION	
Product Name	Shelf, Gate, Reader Control Board
Protocol Support	TCP / IP
Communication	Type-C RJ45 RS485 RS232
Function	2ch light output Relay outputs independently One-click recovery
Line Control	6ch GPI Input 6ch GPO Output
| BASIC	
Power	1ch 12V, 2ch 5V Reverse connection protection
Material	PCBA, IC
Working Humidity	10%RH~90%RH
Operat Temperature	0 ºC ~ 70 ºC

- **Related Model**
  CK-PC001, CK-PD01

- **Common Solution**
   Shelf, Gate, Portal, Reader etc.

- **Dimension**

170 mm

80 mm

Unit : mm (inch)
Weight. : about 150g

- **Accessory**

Serial number	Name	Units	Quantity

RFID IoT Application

Need Advice

Subscribee