

CK-D3L

INDUSTRIAL HANDHELD RFID READER



New desktop tag card reader for RFID tags and items binding initialization, with readable and writable functions, switch cursor output mode, easy to organize Excel documents

- Support fast reading and writing, Identify 100pcs at a time, batch export label information files
- RFID technology 840~960MHz optional, support protocol extension
- Near-field antenna, effective reading range of 40cm, write range of 10cm
- Communication interfaces: USB Type-C
- Work condition warning beep

● Specification

Model	CK-D3L
RF SPECIFICATION	
Identification Method	UHF
RF Chip	Impinj R500
Frequency Range	840MHz~960MHz
Protocol Support	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Frequency Band (Optional)	ETSI: 865~868MHz JP: 916.8~920.4MHz TW: 922.25~927.75MHz ID: 923.125~925.125MHz RUS: 866.6~867.4 MHz TEST: 802.75~998.75MHz JP_LBT: 916.8~920.8MHz
Antenna Gain	1-30 dbm adjustable
Read Distance	40 cm adjustable
Communication	USB Type-C
Function	RFID read & write, Multiple label identification (For more RFID tag features, please use Cykeo tag application software)
BASIC SPECIFICATION	
Material	Aluminum
Power Supply	DC 5V
Working Humidity	10%RH~90%RH
Operat Temperature	0 °C ~ 60 °C
Size	32 x 36 x 2 cm
Weight	About 600g


● Related Model

CK-D1L, CK-D2L, CK-D4L

● Common Solution

Smart Library, Archival Room, Tool Room, Supermarket, etc.

● Dimension



Unit : mm (inch)
Weight. : about 0.2kg

● Accessory

No.	Item	units	quantity
1	USB A-C Cable	pcs	1



RFID IoT
Application



Need Advice



Subscribe

Follow us: Cykeo



Headquarters

Cykeo Information Technology CO., LTD.
16th floor, Building B2, Yunzhi Science Park, Guangming District,
Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefei Jianshen InformationTechnology Co.,
LTD.
Cykeo Information Technology(Shandong) Co., LTD.
Cykeo Information Technology(Chengdu) Co., LTD.
Cykeo Core Information Technology (Shanghai) Co., LTD.