

CK-HG2

MEDICAL RFID SMART SHELF



The CK-H2G Medical RFID Smart Shelf revolutionizes healthcare inventory management through integrated UHF RFID and precision weighing technologies. Engineered for hospital storerooms and pharmacy centers, this ISO 18000-6C compliant system automatically tracks medical consumables, surgical instruments, and high-value implants with 30kg weighing capacity per tray. Its carbon steel construction supports 1,000+ item storage while maintaining <5s full-shelf inventory updates.

- Automatic inventory: it can set up a regular inventory or active inventory, and realize daily inspection and monthly inspection within 10 seconds
- High accuracy: special design, avoid RFID signal interference, single recognition rate is higher than 99.95%
- Data collection and scientific analysis: real-time inventory records of goods receiving and returning data, which facilitates the traceability and search of materials
- Convenient storage and placement: the use of weighing tray management of materials, convenient storage box classification placement
- Product appearance, function, protocols etc support customization



Specification

| Model | CK-HG2 | | | |
|------------------------------|--|--|--|--|
| RF SPECIFICATION | | | | |
| Identification Method | UHF | | | |
| RF Chip | Impinj R2000 | | | |
| Frequency Range | 840MHz ~ 960MHz adjustable | | | |
| Protocol | EPC C1G2, ISO 18000-6B, ISO 18000-6C | | | |
| Frequency Band (Optional) | ETSI: 865 ~ 868MHz, JP: 916.8 ~ 920.4MHz, TW: 922.25~927.75MHz, ID: 923.125~925.125MHz, RUS: 866.6~867.4 MHz, TEST: 802.75~998.75MHz, JP_LBT: 916.8~920.8MHz | | | |
| Product Capacity | 1000 pcs (according of item size) | | | |
| Function | RFID read function, Multiple label identification, Label data filtering, RSSI perception, Quantity statistics | | | |
| Communication | RJ45 10 / 100Mbps | | | |

|FUNCTION SELECTION

| Weighing Function | Standard, accuracy 1g-30kg |
|-------------------|----------------------------|
| Sound Light Alarm | Optional |
| CCTV Camera | Optional |
| Wireless Network | WiFi / 4G Optional |

| BASIC SPECIFICATION

| Material | Carbon steel plate |
|--------------------|--------------------|
| Power Supply | AC 110-220V 50Hz |
| Operat Temperature | 0 °C ~ 60 °C |
| Size | 200x 145 x 60 cm |




Related Model

/

Common Solution

Smart Library, Archival Room, Tool Room, Supermarket, etc.

Dimension



Unit: mm (inch) Weight.: about 50kg

Accessory

| serial number | name | units | quantity |
|---------------|--------------|-------|----------|
| 1 | power supply | pcs | 1 |
| | | | |
| | | | |









Need Advice

Subscribee

Follow us: Cykeo











Headquarters

Cykeo Information Technology Co., LTD.

16th floor, Bullding B2, Yunzhl Science Park, Guangming District,
Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefei Jianshen InformationTechnology Co., LTD.

Cykeo Information Technology(Shandong) Co., LTD.

Cykeo Information Technology(Chengdu) Co., LTD.

Cykeo Core Information Technology (Shanghai) Co., LTD.