

CK-G0628

SMART RFID BOOK LOCKER



The CK-G0628 Smart Book Locker revolutionizes library material handling with its 59 RFID-enabled compartments and industrial-grade carbon steel construction. Featuring a 21.5" capacitive touchscreen, Windows/Android OS options, and support for face recognition, ID cards, and employee badges, it ensures contactless 24/7 access. Ideal for libraries, archives, and corporate document hubs, its ≤80W power consumption and IP54-rated design guarantee reliability.

- 21.5-inch capacitive touch screen with 1920 × 1080 resolution
- RFID technology 840-960MHz optional, support protocol extension
- Multiple interfaces: RJ45, support wifi, 4G, alarm input etc
- Support multiple cabinets in parallel, optional Windows / Android system
- Saving manual inventory time and warehouse registration procedures, improve management and control efficiency, grid can be extended
- Product appearance, function, protocols etc support customization



Specification

Specification				
Model	CK-G0628			
RF SPECIFICATION				
Identification Method	UHF			
RF Chip	Impinj R2000			
Frequency Range	840MHz~960MHz adjustable			
Protocol	EPC C1G2, ISO 18000-6B, ISO 18000-6C			
Identification of work card (employee card)	14443A			
Read time	1-3/s			
Capacity	14 layers and 59 grids			
Material of the whole machine	High-quality carbon steel plate +PMMA			
Whole machine cabinet door	Five layers and seven compartments			
Power regulation	0-33db			
Reading mode	Support multiple modes such as dense and fast			
Antenna polarization mode	Circular polarization			
LIADDWADE CDECLE	CATION			
HARDWARE SPECIF	ICATION			

System	Windows / Android (optional)
Hardware	I5 CPU,4G RAM, 128G ROM / RK3399 CPU,4GRAM, 16G ROM (optional)
Display	1920 x 1080, 22-inch capacitive touch screen (optional)
Communication	RJ45 10 / 100Mbps

||FUNCTION SELECTION

RFID Card Reader	Standard
Face Recognition	Optional
Bar Code	Optional



Solar Energy	Optional
QR Code	Optional
Sound Light Alarm	Optional
Fingerprint Recognition	Optional
CCTV Camera	Optional
Thermostatic Dehumidifier	Optional
Wireless Network	WiFi / 4G
BASIC SPECIFICATION	
Material	Carbon steel plate
Power Supply	AC110-220V 50Hz 150W
Working Humidity	10%RH~90%RH
Operat Temperature	0°-60°C
Grid Size	Customizable
Overall machine size	500*443*2054MM
Internal grid size	780*340*2027MM




Related Model

CK-G6028

Common Solution

Smart Library, Archival Room, Tool Room, Supermarket, etc.

Dimension



Unit: mm (inch) Weight.: about 150 kg

Accessory

serial number	name	units	quantity
1	power supply	pcs	1





RFID IoT Application





Need Advice

Subscribee

Follow us: Cykeo











Headquarters

Cykeo Information Technology CO., LTD.
16th floor, Building B2, Yunzhi Science Park, Guangming District, Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefei Jianshen InformationTechnology Co., LTD.

Cykeo Information Technology(Shandong) Co., LTD.

Cykeo Information Technology(Chengdu) Co., LTD.

Cykeo Core Information Technology (Shanghai) Co., LTD.

