


CYKEO-55-30

MEDICAL RFID LABEL WITH



The 55 * 30mm Medical RFID Label with 20 * 40mm U9 Dry Inlay features NXP's UCODE 9 chipset on aluminum-etched antenna, delivering reliable UHF (860-960MHz) performance in clinical environments.

- Autoclave-Compatible (121° C/30min) Medical Grade Adhesive
- Implant-Grade Material Compliance with ISO 13485 & USP Class VI
- ± 0.2 mm Precision Laser Cutting for Surgical Instrument Tracking

● Specification

Model	CYKEO-55-30
 RF SPECIFICATION	
Identification Method	UHF
chip	U9
Frequency Range	840MHz~960MHz
Protocol	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Base material	PET
Memory	
EPC	96bits
User	0-512bit
TID	96 bits
 BASIC SPECIFICATION	
size	55*30MM
IC Life	100, 000 Programming cycles, 10years data retention
Read range	5 M
Operating Temperature	-40° C to +85° C
Humidi	20% to 90%
Storag	-25° C to +50° C




- Related Model

- Common Solution

Smart Library, Archival Room, Tool Room, Supermarket, etc.

- Dimension



Unit : mm (inch)
Weight. : about 0.1g

- Accessory

No.	item	units	quantity



RFID IoT Application



Need Advice



Subscribe

Follow us: [Cykeo](#)



Headquarters

Cykeo Information Technology CO., LTD.
16th floor, Building B2, Yunzhi Science Park, Guangming District,
Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefei Jianshen InformationTechnology Co.,
LTD.
Cykeo Information Technology(Shandong) Co., LTD.
Cykeo Information Technology(Chengdu) Co., LTD.
Cykeo Core Information Technology (Shanghai) Co., LTD.