

CYKEO-88-28

UHF RFID CABLE TIE TAG



The CYKEO-88-28 UHF RFID Cable Tie Tag combines rugged ABS+nylon construction with advanced H3/R6/M4/U8 chip compatibility. Engineered for permanent asset identification, its 15x4mm form factor withstands  $-40^{\circ}\text{C}$  to  $+85^{\circ}\text{C}$  extremes while delivering 8m read range on metal surfaces. With 96-bit EPC/TID memory and 100,000 programmable cycles, it's the ultimate solution for industrial equipment tracking, data center management, and high-value asset authentication.

- 15mm Ultra-Compact Design
- 10-Year Data Retention & 100K Write Cycles
- ISO 18000-6C Compliance for Global Deployment

● Specification


Model	CYKEO-88-28
<b>  RF SPECIFICATION</b>	
Identification Method	UHF
chip	H3 (9662)/R6/M4/U8
Frequency Range	840MHz~960MHz
Protocol	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Base material	PA /ABS
Memory	
EPC	96bits
User	0-512bit
TID	96 bits
<b>  BASIC SPECIFICATION</b>	
size	88*28MM
IC Life	100, 000 Programming cycles, 10years data retention
Read range	5 M
Operating Temperature	-40° C to +85° C
Humidi	20% to 90%
Storag	-25° C to +50° C

- Related Model

- Common Solution

Smart Library, Archival Room, Tool Room, Supermarket, etc.

- Dimension



Unit : mm (inch)  
Weight. : about 0.1g

- Accessory

No.	item	units	quantity





# RFID IoT Application



Need Advice



Subscribe

Follow us: [Cykeo](#)



## Headquarters

Cykeo Information Technology CO., LTD.  
16th floor, Building B2, Yunzhi Science Park, Guangming District,  
Shenzhen 518107, China

## Factory

Shenzhen, Dongguang, Hefei

## Subsidiary

Hefei Jianshen InformationTechnology Co.,  
LTD.  
Cykeo Information Technology(Shandong) Co., LTD.  
Cykeo Information Technology(Chengdu) Co., LTD.  
Cykeo Core Information Technology (Shanghai) Co., LTD.