

## CYKEO-A8

## HIGH-GAIN UHF RFID ANTENNA



The Cykeo CYKEO-A8 High-Gain UHF RFID Antenna is engineered for industrial-scale asset visibility, delivering stable long-range signal amplification in RFID-driven ecosystems. Featuring a circular polarization design and ABS-reinforced housing, it excels in automated inventory checks, dock door monitoring, and high-speed conveyor systems. With a 1.4:1 VSWR and 120° horizontal beamwidth, it ensures 99.6% tag capture accuracy even in metal-interference environments.

- Rugged ABS+Aluminum IP65 Design
- RFID technology 840~960MHz optional, support protocol extension
- Ultra-Low 1.3:1 VSWR for Stable Transmission
- With free DEMO, SDK, open API, to meet the customer's various environment function development

● Specification


Model	CYKEO-A8
<b>  RF SPECIFICATION</b>	
Identification Method	UHF
c	840MHz~960MHz
Protocol Support	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Antenna Gain	0-33 dbm adjustable
Read Distance	0-15m adjustable
Polarization Type	Circular
Peak Gain @915MHz	8dBi
Axial Ratio	<3dB
H-plane HPBW	120°
E-plane HPBW	9114°
VSWR	≤1.3:1
Impedance	50 Ω
Connector Type	TNC
Size	256*256*43MM
Weight	650g
<b>  BASIC SPECIFICATION</b>	
Material	ABS+Aluminum 6061
Working Humidity	10%RH~90%RH
Operat Temperature	-40° C~+85° C
IP Rating	IP65

- Related Model

- Common Solution

Smart Library, Archival Room, Tool Room, Supermarket, etc.

- Dimension



Unit : mm (inch)  
Weight. : about 650g

- Accessory

No.	item	units	quantity
1	power supply	pcs	1
2	fixed bracket	pcs	1



# RFID IoT Application



Need Advice



Subscribe

Follow us: [Cykeo](#)



### Headquarters

Cykeo Information Technology CO., LTD.  
16th floor, Building B2, Yunzhi Science Park, Guangming District,  
Shenzhen 518107, China

### Factory

Shenzhen, Dongguang, Hefei

### Subsidiary

Hefei Jianshen InformationTechnology Co.,  
LTD.  
Cykeo Information Technology (Shandong) Co., LTD.  
Cykeo Information Technology (Chengdu) Co., LTD.  
Cykeo Core Information Technology (Shanghai) Co., LTD.