

CYKEO-PCB7020

On-Metal RFID Tags



The CYKEO-PCB7020 flexible RFID tag combines etched aluminum antenna and PET/foam substrate for unmatched metal surface adaptability.

- 5M+ Metal Surface Read Range with Adaptive Tuning
- MIL-STD-810H Certified Rugged Construction
- Multi-Protocol Chip Compatibility (Impinj/NXP)
- 10-Year Data Retention & 100K Write Cycles

● Specification

Model	CYKEO-PCB7020
 RF SPECIFICATION	
Identification Method	UHF
chip	IMPINJ Monza R6-P
Frequency Range	840MHz~960MHz
Protocol	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Base material	FR4+ epoxy resin material
Memory	
EPC	128bits
User	0-512bit
TID	96 bits
 BASIC SPECIFICATION	
size	70*20*2.5MM
IC Life	100, 000 Programming cycles, 10years data retention
Read range	5 M
Operating Temperature	-40° C to +85° C
Humidi	20% to 90%
Storag	-25° C to +50° C




- Related Model

- Common Solution

Smart Library, Archival Room, Tool Room, Supermarket, etc.

- Dimension



Unit : mm (inch)

Weight. : about 7.6g

- Accessory

No.	item	units	quantity



RFID IoT Application



Need Advice



Subscribe

Follow us: [Cykeo](#)



Headquarters

Cykeo Information Technology CO., LTD.
16th floor, Building B2, Yunzhi Science Park, Guangming District,
Shenzhen 518107, China

Factory

Shenzhen, Dongguang, Hefei

Subsidiary

Hefei Jianshen InformationTechnology Co.,
LTD.
Cykeo Information Technology(Shandong) Co., LTD.
Cykeo Information Technology(Chengdu) Co., LTD.
Cykeo Core Information Technology (Shanghai) Co., LTD.